


McGill Pain Questionnaire

Patient's Name _____ Date _____ Time _____ am/pm

PRI: S _____ A _____ E _____ M _____ PRI(T) _____ PPI _____
 (1-10) (11-15) (16) (17-20) (1-20)

1 FLICKERING QUIVERING PULSING THROBING BEATING POUNING	11 TIRING EXHAUSTING
2 JUMPING FLASHING SHOOTING	12 SICKENING SUFFOCATING
3 PRICKING BORING DRILLING STABBING LANCINATING	13 FEARFUL FRIGHTFUL TERRIFYING
4 SHARP CUTTING LACERATING	14 PUNISHING GRUELLING CRUEL VICIOUS KILLING
5 PINCHING PRESSING GNAWING CRAMPING CRUSHING	15 WRETCHED BLINDING
6 TUGGING PULLING WRENCHING	16 ANNOYING TROUBLESOME MISERABLE INTENSE UNBEARABLE
7 HOT BURNING SCALDING SEARING	17 SPREADING RADIATING PENETRATING PIERCING
8 TINGLING ITCHY SMARTING STINGING	18 TIGHT NUMB DRAWING SQUEEZING TEARING
9 DULL SORE HURTING ACHING HEAVY	19 COOL COLD FREEZING
10 TENDER TAUT RASPING SPLITTING	20 NAGGING NAUSEATING AGONIZING DREADFUL TORTURING
	PPI
	0 NO PAIN
	1 MILD
	2 DISCOMFORTING
	3 DISTRESSING
	4 HORRIBLE
	5 EXCRUCIATING

BRIEF _____	RHYTHMIC _____	CONTINUOUS _____
MOMENTARY _____	PERIODIC _____	STEADY _____
TRANSIENT _____	INTERMITTENT _____	CONSTANT _____



E = EXTERNAL
 I = INTERNAL

COMMENTS:

FIG. 2. McGill Pain Questionnaire. The descriptors fall into four major groups: sensory, 1 to 10; affective, 11 to 15; evaluative, 16; and miscellaneous, 17 to 20. The rank value for each descriptor is based on its position in the word set. The sum of the rank values is the pain rating index (PRI). The present pain intensity (PPI) is based on a scale of 0 to 5. Copyright 1970 Ronald Melzack.